

FL DOH Certification No.: E861096-01

US EPA Lab ID: FL01285

Title:

WATER SAMPLE SUBMISSION FORM FOR TOTAL COLIFORM AND E.COLI

CAPZER PHARMACEUTICALS

3677 23rd Ave. South, Suite A108 Lake Worth, FL 33461 P: 561-493-4000; F: 888-421-4181

www.capzerpharma.com/

Version.01	No.: R&D-81016.01	Version: 01	Date: 05/17/2012
------------	------------------------------	--------------------	-------------------------

NOTE: 1. Follow instruction as per SOP# QC-71012-MIC to collect the sample for microbial testing. Ask for a copy of SOP.

- 2. Form must be completed with required information to be accepted by Capzer Pharmaceuticals except "LAB USE ONLY" part.
- 3. Durable (water resistance) label should be used for proper labeling

Send Results To: (check all that apply)			Send Invoice To: (check all that apply)					
□ Attn:			□ Attn:					
Client/Vendor:			Client/Vendor:					
Address:			Address:					
(City, State, Zip):			(City, State, Zip):					
Phone:			Phone:					
□ Fax:				□ Fax:				
□ E-mail:				□ E-mail:				
Sample #	Location of Sample collection	Date/Time of Collection/ Collected By		Sample Type Ice/Water/others	Preservation Type (check only one)	LAB USE ONLY Condition Received		
		Date: Time: By:			□ Ambient □ 4°C □ -20°C	□ Good □ Damaged		
		Date: Time: By:				□ Ambient □ 4°C □ -20°C	□ Good □ Damaged	
		Date: Time: By:				□ Ambient □ 4°C □ -20°C	□ Good □ Damaged	
		Date: Time: By:				□ Ambient □ 4°C □ -20°C	□ Good □ Damaged	
Discl	aimer: Samples will be disposed a	fter analysis com	pletio	on unless o	otherwise requested.			
Subm	nission Date:	_Test will be condu	icted	by Colitag i	method.			
Comments:								
FOR	LAB USE ONLY							
Sample ID:			Cli	Client/Vendor #				
Received Date:			Re	Received Time:				
Received By:								
							Page: 1 of 1	